

DATASHEET

AVEVA[™] Plant SCADA

formerly Citect SCADA

Flexible, high-performance supervisory control and data acquisition (SCADA) software for plant personnel. Superior operational context and built-in functionalities consolidate, simplify, and optimize control. Operators can streamline their operations for efficiency, reliability, and safety.



Empowering operators on the plant floor

With intuitive configuration tools and powerful engineering features, AVEVA Plant SCADA helps consolidate and streamline control from an array of data sources. A visually informative supervisory application keeps operators focused, reducing human error and revealing opportunities to improve performance.

AVEVA Plant SCADA gives teams a holistic view of operations so they can both optimize the now and also design and accelerate operations control for the future.

Seamlessly weave visualization, alarming, trends, interlocks, and control together for superior operational context. With improved supervisory control and more effective mobility and integrations, you can use process data to increase productivity and support digital transformations.

At a glance

- Improve production efficiency, help operators make timely decisions and reduce downtime.
- Give operators better awareness with navigation zone and alarm indicators so they can quickly diagnose process anomalies.
- Follow the best industry practices for abnormal situation management (ASM).
- Simplify engineering with a host of contextual improvements that enhance project design and management, reducing total cost of ownership.
- Bring mobility to the plant floor with browserbased visualizations.
- Extend operational value using native integration with the AVEVA industrial software portfolio.







Increase operator awareness

AVEVA Plant SCADA helps reduce the noise of information overload by providing context-aware supervisory applications that guide users to take immediate action. New and experienced operators alike benefit from this guidance as well as AVEVA Plant SCADA's consistent response path across departments and operational areas.

Situational awareness techniques like gray-scale coloring and simplistic animation reduce complexity and improve reaction times for all users. Intuitive interface design options like menu-driven navigation let you select how to highlight the number and severity of alarms. Equipment hierarchies link interface components that align to the actual process flow, so you can easily use drill-down and drill-up discovery.

The combination of real-time data, alarm details, historical trending, and associated information in a single interface minimizes the risk of incorrect decisions and leads to quicker resolution of issues.

Advanced alarm management

Effectively implementing alarming is crucial to ensure that plant personnel do not miss critically important events. AVEVA Plant SCADA employs a sophisticated approach to alarm management that utilizes shapes, colors, and numbers to quickly convey alarm status. It applies this style standard across an application's components, and can also configure borders, textures and visibility constraints around alarming objects.

Beyond styling, AVEVA Plant SCADA can configure acknowledgment, cause, and responses, filter and sorting options, reason statements, and alarm shelving. This flexibility gives you a solid base from which to create powerful operations control applications for monitoring any industrial process.

E Search		×	🚯 🛕 🤍	State	*								Acknowledge	Page
ewing Alarms From all Equipment			Current Filter: All A	tive Alar	ro									
Cluster1			On Date On Tin	a Na	me	Sta	te Cluster	Equipment	Item User N	me User C.	1 com and the	secose for selected	d advances.	
V Company			15/04/2021 09:46:	A PM TSO	3 Flavoured Milk Temp	rature HL_ Of	Chuster1	Company.TepMilk.Mixing.TS03	HH System		Cause	Problem with se		
> Library			A 15/04/2021 09:431	S PM LS3	0 Bottle Tops Level Hig	h High ON	Cluster1	Company.TepMilk.Bottling.LS20	HH System			boue engineerit		
✓ ☐ TopMik			A 15/04/2021 09:44:5	2 PM TSI	D Flavoured Milk Temp	sature Lo., OF	Cluster1	Company.TepMilk.Mixing.TS03	LL System		Response Ter		# work-order	
> Bottling	45	₹5	A 15/04/2021 09:43:5	4 PM CN	V01 Temperature High I	figh OF	Cluster1	Company.TopMilk.Bottling.CNV	. HH System			Seelled Milk		
> ingredients	4	V 5	▲ 15/04/2021 09:435	4 PM AG	01 Temperature High H	gh Of	Chuster1	Company.TopMilk.MilkSupply.F	HH System		consequence	spores sent		
V MikSupply		A 15/04/2021 09:434	4 PM AG	02 Temperature High H	gh OF	Cluster1	Company.TepMilk.MilkSupply.S	HH System						
✓ □ fullMik			A 15/04/2021 03:28:	OPM LS3	0 Bottle Tops Level Low	Low OF	Cluster1	Company.TopMilk.Bottling.LS20	LL System					
AC01	▲1	V1	A 15/04/2021 03:27:	2 PM TN	121 Filling Line 2 Tank I	evel High_OF	Cluster1	Company.TopMilk.Bottling.TNK21	LHH System					
A001	∆1	V 1	A 11/12/2020 03:19:1	4 PM TSI	2 Skim Milk Temperatu	e Lew Lew OF	Choter1	Company.TepMilk.MilkSupply.S	LL System					
C+01			A 11/12/2020 03:170	2 PM TN	20 Filling Line 1 Tank I	evel High_ OF	Cluster1	Company.TepMilk.Bottling.TNK20	DHH System					
PMP01			A 12/11/2020 02:33>	B PM TS	1 Full Milk Temperatur	Low Low OF	Cluster1	Company.TopMilk.MilkSupply.F	LL System					
PMP02			A 12/11/2020 02:33s	8 PM LSC	3 Sugar Hopper Level L	wLow OF	Cluster1	Company.TopMilk.Ingredients.S	.LL System					
7501	▲1	₩2	A 12/11/2020 02:33/	7 PM AO	05 Full Milk Level Lew L	IN OF	Chuster1	Company.TepMilk.MilkSupply.F	LL System					
VLV01			A 12/11/2020 02:335	7 PM LSC	Malt Hopper Level Lo	wlow OF	Cluster1	Company.TopMik.Ingredients	LL System					
> SkimMik	43	V 5	A 12/11/2020 02:33>	7 PM AD	02 Skim Milk Level Lour	Low OF	Chater1	Company TopMilk MilkSupply 5	LL System					
> Mixing 4	1 41	₩3	A 12/11/2020 02:335	7 PM LSC	5 Strawberry Hopper Le	vel Low L., Of	Chuster1	Company.TepMik.Ingredients.S	.LL System					
> Production			A 12/11/2020 02:33x	7 PM LSO	6 Chocolate Hopper Le	el Low Low OF	F Cluster1	Company.TepMilk.Ingredients.C.,	.LL System					
			▼ 15/04/2021 09:43:5	S PM LS3	0 Bottle Tops Level Hig	N ON	Cluster1	Company.TepMilk.Buttling.LS20	H System					
			▼ 15/04/2021 09:47:	6 PM TS	2 Skim Milk Temperatu	e Low OF	Cluster1	Company.TopMilk.MilkSupply.S	L System					
lerenced Equipment			V 15/04/2021 09:47:	2 PM TS	3 Flavoured Milk Temp	mature Low OF	Cluster1	Company.TopMilk.Mixing.T503	L System					
Company.TopMilk.Mixing.TS0.			▼ 15,054/2021 09:460	S PM TSI	2 Skim Milk Temperatu	w High Off	Cluster1	Company.TepMilk.MilkSupply.S	H System					
Equipment Full Name		rence Type	▼ 15/04/2021 09:46:	1 PM TS	3 Flavoured Milk Temp	Hature HL_ OF	Cluster1	Company.TopMilk.Mixing.TS03	H System					
			V 15/04/2021 09:43:5	4 PM CN	V01 Temperature High	OF	Cluster1	Company.TopMilk.Bottling.CNV	H System					
			▼ 15/04/2021 09:43:0	4 PM LSC	4 Malt Hopper Level HI	ch OF	Choter1	Company TopMik.Ingredients	H System					
There are no references configured			V 15/04/2021 09:431	4 PM AG	01 Temperature High	OF	Chuster1	Company TopMilk MilkSupply F	H System					
			V 15/04/2021 09:43:5	4 PM AG	02 Temperature High	OF	Chuster1	Company, TeeMilk, MilkSupely, S.,.	H System					
			▼ 15,04/2021 09:41:	1 PM TSO	to Full Milk Temperature	High OF	Chuster1	Company, TopMilk, MilkSupply, F	H System		×.			
			4								e			
5 & D SA Librar		Tools								05 ALAR	TREND	INTERLOCK		
Overview (L2)		Supply (L3) △ 6 ▽ 9	ingredients (L3) △ 4 ▽ 5		xing (13) 1 ▽ 3									
		Filling (L3)	Cap / Label (L3)											
		0.1 V 1	0.00					No Equipment Selected			39	tivate Window Coloment Selecto	he Windows.	

Simplified engineering

AVEVA Plant SCADA makes it simple to engineer an application that perfectly meets your needs. Its wide and powerful capabilities have been refined over the years to fulfill the demands of industrial operations all over the world.

Equipment-based tag referencing

Equipment structures create logical groupings that let you organize your project hierarchically. For example, if you represent a pump in your project as a piece of equipment, it will bring together the tags, events, alarms, permissions, communications, scheduling and scripting associated with the pump. You can associate the pump with a particular geographical area or include it as part of a functional process.

Broad graphics library

AVEVA Plant SCADA includes a wide selection of configurable and reusable out-of-the-box vector-based symbols and imagery with animations. Additionally, the AVEVA Plant SCADA web client gives casual and mobile users a simple way to monitor the status of production or processes and to access KPI and operational dashboards. With the extended library and industrial graphics, you can build graphical elements significantly more quickly–even while accessing more options for flexibility and customization.

Alarm management

The instant visual alarm summary immediately focuses on abnormal situations. It shows the highest priority alarm for a piece of equipment. Alarm indicators quickly draw operators' attention and help locate both the source of anomalies and their severity. Define up to eight causes, responses, and consequences for alarms so operators get the information they need to deal with abnormal situations.

Scheduler tool

The scheduler is a runtime tool that automates your SCADA system by letting you view and manage schedule entries for a selected piece of equipment. The equipment tree displays your system's equipment hierarchy while the calendar displays your schedule entries.

Connectivity library

The library supports communication with over 150 native protocol drivers that you can configure with different parameters. It connects a vast selection of production devices across many communication types, including OPC UA, BACNET, IEC61850, MODBUS, DNP3, IEC60870.

Centralized client-server architecture

AVEVA Plant SCADA can handle any unique operating environment with a wide array of architecture capabilities, including clustering. Redundancy and separated processing of tasks give it high flexibility. Secure, centralized deployment makes server management simple. It supports controlled transfer of project changes to servers and clients as well as delta-only deployment.

Comprehensive programming language

Cicode is a powerful and easy-to-use scripting language praised for its extraordinary flexibility, agility and performance. Unique to AVEVA Plant SCADA, Cicode is a programming language with over 1,000 built-in functions purposely written for industrial environments.

Multi-language support

AVEVA Plant SCADA supports Chinese, English, French, German, Italian, Japanese, Korean, Portuguese, Russian and Spanish.

Operational insights: Process analyst and trends

With the process analyst, operators can compare and analyze trend and/or alarm tag data (both realtime and historical)—all during runtime through their existing AVEVA Plant SCADA server architecture.

Deep integration with Schneider Electric

AVEVA Plant SCADA offers native integration with Schneider Electric software and hardware solutions, including PLCs, PACs, power and energy meters, and EcoStruxure Control Expert (Unity Pro).

Flexibly deploy anywhere

AVEVA Plant SCADA is highly flexible. You can deploy it in any configuration to meet the unique requirements found across industrial environments. Designed from the start for client-server architectures, AVEVA Plant SCADA is a distributed system that ensures high performance control and data integrity.

AVEVA Plant SCADA has four fundamental tasks that:

- Handle communications with I/O devices
- Monitor alarm conditions
- Report data output
- Display trending and visuals

Each task works as a distinct client and/or server module, performing its role and interfacing with the other tasks through the client-server relationship.

Each of these tasks is independent, performing its own processing. Due to this approach, users have control over which nodes in the system perform which tasks. For example, you can designate one node to perform the display and trending tasks, and a second node to perform alarming, communications, and reporting.This flexibility also pays off with redundancy: AVEVA Plant SCADA will tolerate failure anywhere in the system without loss of functionality or performance.



Clients and accessibility

Users can securely monitor, control, and troubleshoot plant equipment or processes from any location, on any device, at any time. Three options let users visualize, collaborate, and execute regardless of where they are or what their screen configuration is.

AVEVA Plant SCADA desktop client – full-featured desktop application for panel-based and control roombased workstations. This is the traditional SCADA experience for stationary operations users.

AVEVA Plant SCADA web client – brings industrial graphics to casual and mobile users. This read/write visualization is a simple way to monitor production and process status, KPIs, and operational dashboards. AVEVA Plant SCADA Access Anywhere – offers remote or mobile users read/write, secure access to a complete Plant SCADA application on any device with an HTML5-compliant web browser.



Extend across AVEVA's software portfolio

Benefit from holistic operations control with the unparalleled flexibility and convenience of AVEVA's market-leading software. From HMI and supervisory visualization, to collaboration, manufacturing execution, and analytics, the AVEVA portfolio gives teams a complete set of capabilities so they can improve operational excellence from edge to enterprise.



AVEVA[™] Historian: Process database integrated with operations control that gives you access to your process, alarm, and event history data



AVEVA™ Insight: Al-infused SaaS to visualize and optimize operations using predictive asset and process analytics





AVEVA Plant SCADA +

AVEVA Historian: A natural pairing to capture and store process, alarm and event history data for detailed analysis and troubleshooting.

+

AVEVA Insight: Bring AI- infused process analytics in the cloud to both on-site and off- site workers so they can visualize data in multiple charts and dashboard displays. AVEVA Teamwork: Both new and experienced teams collaborate and develop skills as well as retain worker knowledge by documenting procedures and best practices.

+

For more information on AVEVA Plant SCADA, please visit: aveva.com/en/products/plant-scada



© 2024 AVEVA Group Limited or its subsidiaries. All rights reserved. AVEVA and the AVEVA logo are a trademark or registered trademark of AVEVA Group Limited in the U.S. and other countries. All product names mentioned are the trademarks of their respective holders.

aveva.com